

**Clostridium  
Perfringens  
Types C & D  
Antitoxin**

Equine Origin

**C & D Antitoxin™**

250 mL

**Indications:** Recommended for the prevention and treatment of enterotoxemia caused by *Clostridium perfringens* Types C & D in calves, cattle, lambs, sheep and baby pigs.

**Composition:** Prepared from the blood of horses hyperimmunized with toxins of *Clostridium perfringens* Types C & D. Contains 0.2% cresol as a preservative.

**Dosage:**  
(Prophylactic) Using aseptic technique, inject subcutaneously or intravenously: Calves-10 mL; cattle-30 mL; suckling lambs-3 mL; all other sheep-10 mL. Baby pigs-2 mL administered orally or injected subcutaneously.  
(Therapeutic) Increase dosage 100%.

**Precautions:** Store out of direct sunlight at a temperature between 35–45°F (2–7°C). Avoid freezing. Shake well before using. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Anaphylactoid reactions may occur.

**Antidote:** Epinephrine.

Boehringer Ingelheim Vetmedica, Inc.  
St. Joseph, MO 64506 U.S.A.  
U.S. Veterinary License No. 124

Code 101-821; 01801-02

