





**Barbed Wire Comparison**  
 See in the comparison photo below (actual size) to see how GreenCote differs from others. It's the key to an aggressive animal barrier that lasts a long time and is unique in appearance.




|            | Gauge of Line Wires | Gauge of Barb | Distance Between Barbs | Barb Length | Rust Rating |
|------------|---------------------|---------------|------------------------|-------------|-------------|
| GreenCote  | 12.5                | 14.5          | 3.2"                   | 0.55"       | Excellent   |
| Farm Store | 14                  | 16.0          | 3.1"                   | 0.45"       | Fair        |



**Woven Wire Comparison Chart**

|               | Anti-Rust Protection | Gauge of Line Wires | Vertical Spacing |
|---------------|----------------------|---------------------|------------------|
| Galvanized HT | Very good            | 12.5                | 9"               |
| GreenCote HT  | Excellent            | 12.5                | 9"               |
| Farm Store    | Fair                 | varies              | 3", 6", 12"      |



Close-up (though not actual size) of Premier's smooth wire options side by side. Note that GreenCote is not a solid green. The green dye in the polymer was intentionally mixed to produce a variegated result to allow it to blend into natural settings.

**Smooth Wire Comparison Chart**

|                 | Anti-Rust ability | Outer Coating  | Tensile Strength |
|-----------------|-------------------|----------------|------------------|
| Galvanized HT   | Good              | zinc           | 200,000 psi      |
| GreenCote HT    | Excellent         | zinc + polymer | 155,000 psi      |
| Mild steel wire | Poor              | zinc           | 90,000 psi       |