



**FIGHT
HOOF ROT INFECTION**

**FOOT ROT, HOOF ROT, FOULS, FOOT SCALD
IN SHEEP, GOATS, CATTLE, DAIRY COWS**

DIRECTIONS:

1. Clean and trim, when necessary, affected hoofs to expose and remove all dead, loose, undermined tissue. Control any bleeding before treating with Dr. Naylor[®] HOOF 'n HEEL[®].

2. Slowly squirt Dr. Naylor[®] HOOF 'n HEEL[®] on lesion, covering and saturating it and surrounding area thoroughly while holding hoof inverted - Permit it to penetrate before releasing animal. Foot may be wet pack bandaged or soaked to enhance healing - HOOF 'n HEEL[®] is re-usable and stable.

3. Treat twice daily until healing results.

4. Retain animal in a clean, dry area while it is undergoing treatment. Turn sheep out in pasture that has been vacant for at least two weeks. Keep separate from nontreated, affected animals.

Dr. Naylor[®] HOOF 'n HEEL[®] is available in gallon containers and as a Powder Concentrate to make an antiseptic foot bath solution for use as a treatment and preventive.

CAUTION: If redness, irritation or swelling persists or increases consult veterinarian. Livestock remedy. Not for human use. For external veterinary use only. Keep out of the reach of children.

Made in U.S.A.

H.W. Naylor Company, Inc.

Morris, NY 13808-0190

