

Safe-Guard® Swine Dewormer 1.80%

MEDICATED

For the further manufacture of swine feed

For the removal and control of: **Lungworms** (*Metastrongylus apri* and *M. pudendotectus*); **Gastrointestinal worms:** Adult and larvae (L3, 4 stages--liver, lung, intestinal forms) large roundworms (*Ascaris suum*); nodular worms (*Oesophagostomum dentatum*, *O. quadrispinulatum*); small stomach worms (*Hyostrongylus rubidus*); adult and larvae (L2, 3, 4 stages--intestinal mucosal forms) whipworms (*Trichuris suis*); **Kidney Worms**: adult and larvae (*Stephanurus dentatus*).

ACTIVE DRUG INGREDIENT

INGREDIENTS

Calcium Carbonate, Roughage Products, Molasses Products, Soybean Oil.

MIXING AND USE DIRECTIONS

Pounds of	Pound of Pork Premix	No. of 50 lb Pigs	No. of 100 lb Pigs
Premix	Will Deworm	Dewormed	Dewormed
0.4	800	16	8
0.8	1,600	32	16
2.0	4,000	80	40
4.0	8,000	1160	80

Mix 0.4 pound of Safe-Guard 1.80% Premix in the ration for each 800 pounds of pork to be dewormed. Feed as the sole ration for 3-12 consecutive days. This ration should supply a total intake of 4.08 mg Fenbendazole per ound of pork.

FOR INDIVIDUAL FEEDING

300 lb gilt: Add 0.8 oz. daily to the gilt ration for 3 consecutive days.

450 lb sow: Add 1.2 oz. daily to the sow ration for 3 consecutive days.

LIMITATIONS: Feed as the sole ration in complete feed for a period of 3-12 days so to provide a total intake of 9 mg/kg of bodyweight. No withdrawal time is required.

NOTE: Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

Manufactured for

MWI Animal Health

Iowa Falls, IA 50126 Lot 21784457255

SAFE-GUARD is registered trademark of Intervet Inc., d/b/a Merck Animal Health, a subsidiary of Merck & Co. Inc., All rights reserved.

NET WEIGHT: 20 LBS (9.07 kg)

11034173 Lt Blue NADA # 131-675, Approved by FDA Rev 012517